



APTURA™ LT12 Self-Retracting Lanyard

[Advanced Performance Technology] 



APTURA LT12 SELF-RETRACTING LANYARD

MSA has set a new standard in the mechanical fall protection market with the Aptura LT12 Self-Retracting Lanyard (SRL). Never before has the market seen such a state-of-the-art device with so many standard features. With its solid design and fast-acting brake mechanism, you can be confident that the Aptura LT12 SRL will be there for you when you need it most. The Aptura LT12 SRL features include:

- **A durable, engineered thermoplastic housing** to increase service life.
- **Rugged, impact-absorbing protective bumpers** for added durability.
- **A field-replaceable lifeline option.** In the event that the webbing should become damaged, this option provides a field-replaceable web lifeline, eliminating costly returns to the manufacturer. The Aptura LT12 is the first SRL on the market to offer this feature.
- **A lightweight design starting at 2.4 pounds,** making it the lightest SRL on the market
- **A standard lifeline length of 12'.** Available in lengths from 6' to 12' in 1' increments
- **A 400 pound working capacity** as a standard feature.
- **A constant lock-up rate** to prevent the erratic, "jerky" lock-up (like a seat belt) found on some types of personal fall limiters.
- **No annual factory re-certification** required due to high-quality construction. This not only reduces the cost of ownership, but also eliminates down time.
- **An integral load indicator** lets you know when it is time to remove the product from service.
- **SRL connector with integral swivel.**
- **Meets ANSI A10.14, ANSI Z359.1, and all applicable OSHA standards, and is CSA certified.**
- **ATO ordering flexibility** allows you to order the exact options, and only the options you want.

All these features and more combine to deliver the lightest weight, most versatile SRL available on the market today, the APTURA LT12 self-retracting lanyard.



Attaching the snaphook to the integral swivel creates a comfortable, convenient carrying handle.

SRL Connector Options



Lifeline Connector Options

ATO (Assemble To Order) Matrix for the APTURA™ LT12 SRL

Approval		Line Length		SRL Connector		Lifeline Connector		Field-Replaceable Lifeline	
N C	Non CSA CSA	01	6'	00	None	00	None (Sewn Loop)	0	No
		02	7'	01	Back D-ring Connector	01	HL2000 Snap	1	Yes
		03	8'	02	1" Aluminum Carabiner	02	Swivel HL2000 Snap		
		04	9'	03	1" Steel Carabiner	03	RL20 Snap		
		05	10'	04	2" Aluminum Carabiner	04	Swivel RL20 Snap		
		06	11'	05	2" Steel Carabiner	05	LI Aluminum Snap		
		07	12'			06	1" Steel Carabiner		
						07	1" Aluminum Carabiner		
						08	1" Steel Swivel Carabiner		
						09	LS Snap		
						10	AL64* Snap		

* Only available with Back D-ring Connector

A-APT							
Part Number							Quantity

- ATO orders ready to ship in 2 - 5 days after receipt of order
- SRL's ordered using the ATO system are non-returnable

APTURA LT12 SRL Ordering Information

Part No.	Line Length	SRL Connection	Lifeline Connection	Field Replacement Line
10044227	12'	None	Sewn Loop	Yes
10042171	12'	None	LI Snap	Yes
10044228	12'	Back D Connector	HL2000	Yes
10044229	12'	None	HL2000	Yes
10044320	12'	1" Steel Carabiner	HL2000	Yes
10045784*	10'	None	Sewn Loop	Yes
10045783*	10'	None	LI Snap	Yes
10045785*	10'	Back D Connector	HL2000	Yes
10045786*	10'	None	HL2000	Yes
10045787*	10'	1" Steel Carabiner	HL2000	Yes

* CSA Certified Part Numbers

APTURA LT12 Lifeline Replacement Kits Ordering Information

Replacement kits include lifeline with nozzle, snap or carabiner per your order, line replacement cover, screw, hex wrench, and square wrench.

Part No.	Description
10044752	Replacement 12' lifeline with sewn loop
10044701	Replacement 12' lifeline with HL2000 Snap
10044702	Replacement 12' lifeline with HL2000 Swivel Snap
10044703	Replacement 12' lifeline with RL20 Snap
10044704	Replacement 12' lifeline with RL20 Swivel Snap
10044705	Replacement 12' lifeline with LI Snap
10044706	Replacement 12' lifeline with 1" Steel Carabiner
10044707	Replacement 12' lifeline with 1" Aluminum Carabiner
10044708	Replacement 12' lifeline with 1" Steel Swivel Carabiner
10044709	Replacement 12' lifeline with LS Snap
10044770	Replacement 12' lifeline with AL64 Snap
10045777*	Replacement 10' lifeline with HL2000 Snap
10045889*	Replacement 10' lifeline with LI Snap
10045940*	Replacement 10' lifeline with sewn loop

* CSA Certified Part Numbers



ADDITIONAL GREAT PRODUCTS FROM MSA

TechnaCurv™ Full Body Harness

The TechnaCurv Full Body Harness throws a curve to the ordinary harness with many new features never before seen in a full body harness:

- Curvilinear Comfort System
- Secure-Fit buckles
- Visco-Elastic Shoulder padding
- Sorbtek fabric on shoulder and sub-pelvic pads
- Innovative web design

In addition to the features above, the TechnaCurv harness is designed with downward adjusting torso straps on most models to ease adjustment. This is also the first harness on the market that allows you to order exactly the options you want, and only the options you want, through our Assemble-to-Order process. All these features combine to provide you with the most comfortable, versatile, unique, and safe harness available today.



TechnaCurv Harness
Part No.
A-NGHN111211103000

PointGuard™ Anchorage Connector Strap

The PointGuard Anchorage Connector provides a secure point of attachment for residential and concrete construction applications. The PointGuard Anchorage Connector can be installed in seconds, and when the anchorage connector is no longer needed a worker can simply cut the protruding strap and throw it away. The PointGuard Anchorage Connector is:

- Economical
- Available in 2 models
 - Residential Construction
 - Concrete Construction
- Durable
 - 1-3/4" Polyester Webbing
 - 5000 pound minimum breaking strength

PointGuard Concrete
Anchorage Connector Strap
Part No. 10042794



PointGuard
Residential
Anchorage
Connector Strap
Part No. 10042792



Designed to comply with all applicable OSHA regulations as well as ANSI A10.14 and ANSI Z359.1.

Dyna-Lock® Self-Retracting Lanyards

- No annual re-certification
- Available in lengths up to 95'
- 400 pound working capacity*
- Keeps fall arrest forces below 900 pounds
- Meets all applicable OSHA regulations, ANSI A10.14, ANSI Z359.1, and is CSA certified

*20' wire rope Dyna-Lock has a working capacity of 310 pounds.

20' Wire Rope
Dyna-Lock SRL
Part No. 10017931*
CSA Part No. 10017933*



20' Strap
Dyna-Lock SRL
Part No. 506615
CSA Part No. 10006447



Dyna-Lock SRL
Part No. 506204
CSA Part No. 10006468



Note: This Bulletin contains only a general description of the products shown. While uses and performance capabilities are described, under no circumstances shall the products be used by untrained or unqualified individuals and not until the product instructions including any warnings or cautions provided have been thoroughly read and understood. Only they contain the complete and detailed information concerning proper use and care of these products.



Corporate Headquarters
P.O. Box 426, Pittsburgh, PA 15230 USA
Phone 412-967-3000
www.MSAnet.com
U.S. Customer Service Center
Phone 1-800-MSA-2222
Fax 1-800-967-0398
MSA Canada
Phone 1-800-MSA-2222
Fax 905-238-4151
Warehouse locations: Edmonton and Toronto
MSA Mexico
Phone 52 (2) 1 22 57 30
Fax 52 (5) 3 59 43 30
MSA International
Phone 412-967-3354
Fax 412-967-3451

Offices and representatives worldwide
For further information:

