

Gravity[®] Suspension Harness

Rope Access, Rescue, Telecommunications, Oil And Gas,
Wind Energy and General Industry



*Because every life has a **purpose...***

Gravity Suspension Harness

The MSA Gravity® Suspension Harness is designed to offer superior comfort, safety and quality to professionals and specialists who work at heights suspended.



Product Highlights


- RFID enabled for easy tracking
- CSA Z259.10

Applications

- Rope Access
- Rescue
- Telecommunications
- Oil and Gas
- Wind Energy
- General Industry

Features & Benefits


Features	Benefits
Breathable material	• Waist pad constructed from a multi-layered padding which dissipates pressure from the webbing to reduce fatigue when working for long periods of time
High density foam	• Provides necessary back support for work positioning or sitting while suspended
Aluminum hardware	• Weight reduction
Ventral attachment point positioned at the waist	• Distributes the load between the waist belt and the leg loops during suspended work
Front D-rings capable of accomodating three carabiners	• Connection transfer and hardware storage
Bayonet buckles with locking undercut engagement window	<ul style="list-style-type: none"> • Quick connection • Confirm secure connection • Prevents disconnection under tension
Adjustable padded leg loops	<ul style="list-style-type: none"> • More adjustment for optimal fit • Increased comfort
Quick adjusting buckles	• One-hand tightening and loosening capability
Side D-Rings that fold forward	• Ability to stow side D-rings when not in use
Shoulder padding	• Rolled edge protects the neck from chafing
Triple locking carabiner	• Added peace of mind
Five rigid tool loops on the waist and leg connections	• Keep multiple tools and connectors attached and safe while working at height
Lanyard keepers	• Stow unused twin leg lanyards
RFID Enabled	• Harness tracking with ease




Ordering Information

PART NO.	Aluminum D-Ring Configuration	Size			Leg Buckle Type	Padding	Web Color		Standards	
	Back, Hips, Sternal & Ventral	Small	Medium	Large	Quick-Connect	Shoulder, Leg & Lumbar	Green	Black	ANSI Z359.11	CSA Z259.10
10150453	■	■			■	■	■		■	■
10150454	■		■		■	■	■		■	■
10150455	■			■	■	■	■		■	■
10150456	■	■			■	■		■	■	■
10150457	■		■		■	■		■	■	■
10150458	■			■	■	■		■	■	■

Harness Sizing Chart



Attachment Points



Note: This Bulletin contains only a general description of the products shown. While uses and performance capabilities are described, under no circumstances shall the products be used by untrained or unqualified individuals and not until the product instructions including any warnings or cautions provided have been thoroughly read and understood. Only they contain the complete and detailed information concerning proper use and care of these products.



ID 2302-92-MC / Sept 2015
© MSA 2015 Printed in U.S.A.

MSA – The Safety Company
1000 Cranberry Woods Drive
Cranberry Township, PA 16066 USA
Phone 724-776-8600
www.MSAsafety.com

U.S. Customer Service Center
Phone 1-800-MSA-2222
Fax 1-800-967-0398

MSA Canada
Phone 1-800-672-2222
Fax 1-800-967-0398

MSA Mexico
Phone 01 800 672 7222
Fax 52 - 44 2227 3943

MSA International
Phone 724-776-8626
Toll Free 1-800-672-7777
Fax 724-741-1553
Email msa.international@msasafety.com