

Walkway / Fall-Proof Covers / Rooflight Covers / steps & tread product specification

To be Latchways WalkSafe® as manufactured by Latchways plc, Hopton Park, Devizes, Wiltshire, SN10 2JP.
Tel: +44 (0)1380 732700 www.latchways.com to ISO 9001:2008 and ISO 14001:2004.

Manufactured from extruded PVCu planks and support bearers, injection moulded PVCu end caps and stainless steel fixings & fasteners. The product shall be covered by a British Board of Agrément (BBA) Certificate incorporating the following tested and certificated performance properties;

British Board of Agrément Certificate No.99/3608

An Agrément Certificate is only awarded to a construction product or system after it has successfully passed a comprehensive assessment involving laboratory testing, on-site evaluations and inspections of production. The manufacturer will also be audited ensuring that a suitable quality management system is in place.

Fire safety

Fire resistant and self-extinguishing to BS 476: Part 7:1987 Class 1 (Y) Self Extinguishing.

Warrington Fire Research Centre Limited - test report WARRES No.68670.

Slip resistant

Co-efficient of friction Dry 0.58 and Wet 0.54

British Board of Agrément test report No.47770

Impact resistance

Classification 'A' to ACR(M)001-2014 [fifth edition] - Test for non-fragility of Profile Sheeted Roofing Assemblies.

British Board of Agrément Certificate No.99/3608 section 7.

Resistance to impact: Soft body to MOAT 11:3.1.13
Resistance to impact: Hard body to MOAT 11.3.1.1.5
Tensile impact strength to BS 2782: Part 3.354(A)

UV exposure

Classified as 'S' (for use in severe climate) to EOTA (European Organisation for Technical Approvals) TR 010 - 25 year severe climate exposure test.

British Board of Agrément assessment report Ref: M2/42471

Durability

Durability - the product, when subjected to normal conditions of exposure and use, will retain its integrity for a period in excess of 25 years.

British Board of Agrément Certificate No.99/3608 section 11.

CE marking

Walkway / Fall-Proof Covers / Rooflight Covers / steps & tread product specification

CE marked in accordance with harmonised European Standard BS EN 516:2006. Prefabricated accessories for roofing. Installations for roof access. Walkways, treads and steps.

Declaration of Performance No. 001/CPR/23-10-2013

British Board of Agrément Certificate No.99/3608 Additional Information - CE Marking.

Bespoke / prefabricated test compliance

Pre-fabricated Accessory EN 516 Class 1 - C

British Board of Agrément Certificate No.99/3608 section 7.

NHBC Standards 2014

NHBC accepts the use of WalkSafe PVCu Roof Walkways, provided they are installed, used and maintained in accordance with this Certificate (British Board of Agrément Certificate No.99/3608), in relation to *NHBC Standards, Chapter 7.1 Flat roofs and balconies, Clause D11 Access for maintenance.*

Construction (Design and Management) Regulations 2007

Construction (Design and Management) Regulations (Northern Ireland) 2007

Information in the British Board of Agrément Certificate No.99/3608 may assist the client, CDM co-ordinator, designer and contractors to address their obligations under these Regulations.

British Board of Agrément Certificate No.99/3608 section 6.

Roof system compatibility

To be approved and or deemed suitable for use by the roofing system manufacture and maintain their roofing system warranty / guarantee.

END